

FIG. 5

IMAGE CAMERA RECEIVER EQUIPMENT S501 REQUEST TO START COMMUNICATION S502 CONNECTION OVER FOR COMMUNICATION S503 REQUEST TO START IMAGE TRANSMISSION S504 TRANSMIT COMPRESSED IMAGE DATA S505 COMMUNICATION **FAULT OCCURS** S506 COMMUNICATION **FAULT ELIMINATED** S504 TRANSMIT COMPRESSED **IMAGE DATA** S507 REQUEST TO TRANSMIT UNTRANSMITTED IMAGE S508 TRANSMIT UNTRANSMITTED COMPRESSED IMAGE DATA S509 CONNECTION OVER FOR COMMUNICATION

FIG. 6






FIG. 7










FIG. 10


IMAGE CAMERA RECEIVER EQUIPMENT S501 REQUEST TO START COMMUNICATION S502 CONNECTION OVER FOR COMMUNICATION S503 REQUEST TO START IMAGE TRANSMISSION S504 TRANSMIT COMPRESSED **IMAGE DATA** S1001 NOTIFY ABNORMALITY S1002 NOTIFY ABNORMALITY END S1003 REQUEST TO TRANSMIT ABNORMALITY-RELATED RECORDED IMAGE S1004 TRANSMIT ABNORMALITY-RELATED RECORDED IMAGE DATA S1005 END TRANSMISSION OF ABNORMALITY-RELATED RECORDED IMAGE

FIG. 11



S1203 NOTIFY IMAGE RECEIVER 300 OF ABSENCE OF ABNORMALITY-RELARCORDED IMAGE 9 NOTIFY IMAGE RECEIVER 300 THAT TRANSMISSION OF ABNORMALITY-RELATED RECORDED IMAGE IS OVER RECORDED IMAGE TRANSMISSION REQUEST RECEIVED ? ry-related 出出 IMAGE BEING TRANSMITTED MITTED ABNORMALITY-RELATED RECORDED IMAGE ? TRANSMIT ABNORMALIT IMAGE BEING TRANSI YES YES S1201~ S1202-S1205 S1204








FIG. 16




FIG. 17




FIG. 18

